

JB1 I

"JB1I": SCATOLA DI GIUNZIONE PER CAVI DI CELLE DI CARICO A 4 POLI,
IN ACCIAIO INOX IP68



Scatola di giunzione in acciaio inox con grado di protezione IP68 da acqua e polveri, dotata di scheda elettronica per l'unione di 2 sezioni di cavi di celle di carico. Le 8 morsettiere a vite agevolano il collegamento dei cavi. Il corpo in acciaio inox conferisce robustezza e durabilità.

La soluzione ideale per
applicazioni industriali
avanzate

CARATTERISTICHE TECNICHE

- Involucro in acciaio INOX
- Grado di protezione: IP68
- Massima tensione in ingresso: 24Vdc
- Massima corrente in ingresso: 700mA
- 1 ingresso ed 1 uscita cella a 4 fili su connettore a vite
- Lunghezza: 85,0mm
- Diametro interno: 13,9mm
- Diametro esterno: 18mm
- Il pressacavo stringe da 4 a 8 mm di cavo.

PARTICOLARE 1





www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE